



NC BASED THINNER / PAINT
INVITATION TO BID / INSTRUCTION TO BIDDER
OUR REQUEST FOR QUOTATION NO. MNT/RFQ/036/2026
TENDER CLOSING DATE 05.03.2026 TIME: 12:30 HOURS
TENDER OPENING DATE 05.03.2026 TIME: 12:30 HOURS

1. Please submit your lowest and firm quotation on EPADS with best delivery.
2. Required bid validity is 60 days from the closing date of RFQ.
3. RFQ will be publically opened at 12:30 Hours on the same day in our office at Piran Ghaib Road Multan. One representative of each bidder with Letter of Authority can attend the bid opening, if desired.
4. In case purchase order placed on you, you will be required to execute strictly in accordance with the terms and conditions of purchase order. In case terms and conditions violated we will have the right to cancel the purchase order or part as thereof, necessary.
5. If the purchase order on you or part thereof is cancelled, we will have the right to make purchases from other sources at your risk and cost, and difference will be recovered from you.
6. We reserve the right to increase / decrease the tender quantities or cancel this enquiry in whole or in part before tender opening should our requirement. In change in the meantime. After tender opening, the quantities may be increased / decreased by 15% of the tender quantities. However, decrease beyond 15% shall be subject to concurrence by the successful bidder.
7. Relevant, leaflets/brochures should accompany your quotation.
8. Instead of writing the word "Imported" please give exact brand/make / Country of origin of each item quoted by you.
9. All deliveries are to be consigned carriage paid to the address SNGPL Transmission Stores Piran Ghaib Road Multan.
10. Delivery challan (in triplicate) for each consignment should accompany the material.
11. Consignment will be received upto 12.30 P.M during summer on all working days and upto 3.00 P.M during winter on all working days of the week except Saturday & Sunday.
12. BID SECURING DECLARATION: - To be submitted as per SNGPL requirement.
13. Late Delivery Charges clause as mentioned in the terms & Conditions section will be applicable.

Schedule of Requirement (SOR)

Item No	Description	Brand/Make Country of Origin	Unit	Qty	Rate / Unit	18% Gst	Total Amount	Delivery Period
01	NC Based Thinner Solvent (Transparent)		Ltr	240				Within 20 days at mentioned below sites.
02	NC Based Paint Azure Blue		Ltr	218.40				
03	Synthetic Enamel Paint Pure White Color, Ral 9010		Ltr	65.52				
<i>Technical Specification attached as Annexure-A.</i>						<i>Grand Total:</i>		

Note: Bidder must provide the sample for Item Nos. 01 & 02 along with bid, without this bid will not be considered.

Terms & Conditions:

- 1) The material should be supplied as per technical specifications mentioned in the quotation/purchase order and must be brand new. Sub-standard / defective material will not be accepted.
- 2) Please mention your National Tax Number on the invoices to be submitted for payment.
- 3) DELIVERY: You will deliver the Ordered material within **20 Days** after receipt of purchase order at SNGPL Stores, Piran Ghaib Road, Multan, under intimation to us
- 4) The price of ordered material is inclusive of all applicable Govt Taxes/Duties, GST @ 18% However, the payment of sales tax will be made to you on submission of Sales Tax Invoices. We as per Sales Tax Special Procedure (withholding) Rules 2007, shall deduct an amount equal to 1/5th of the total sales tax value shown in the sales tax invoice issued by the supplier and make payment of the balance amount.
- 5) Payment will be made to you by our Accounts Department within 30 days after satisfactory completion of delivery as given in the purchase order and after receipt of your bills in Accounts duly marked your National Tax Number in duplicate supported with receipted copies of Delivery Challan(s) and copy of inspection reports.
- 6) If the materials, as given in the order have not been delivered within the delivery period given in the contract and as per stipulations in the contract except on account of Force Majeure, , Sui Northern Gas Pipelines Limited (SNGPL) shall be entitled to recover 1% (One Percent) of the total value (excluding Sales Tax) of the delayed part of material for each week of delay, by way of Late Delivery Charges and not by way of penalty subject to a maximum of 10% of the total value (excluding sales tax) of the delayed part of the material. The payment of such Late Delivery Charges shall not relieve the supplier from performing and fulfilling its obligations under the contract nor will the corresponding rights and entitlements of Sui Northern be affected or reduced in any manner. Whenever Late Delivery Charges become payable, SNGPL, in its sole discretion shall quantify the same and recover Late Delivery Charges through deduction from outstanding bills of suppliers directly by Accounts Department while making payment to supplier.
- 7) All other terms and condition of the RFQ and those which will be agreed through exchange of correspondence will integral part of purchase order.

TECHNICAL SPECIFICATIONS FOR NC BASED THINNER

The desired NC based thinner should be of good qualities having transparent colour retention and environment resistance. The generic specifications are as under:

Sr. No.	Specification	Description
1	Colour	Transparent
2	Type of Product	Single Pack, Air Drying
3	Density	0.8 ~0.9 kg per liter
4	Boiling Point	Greater than 50°C
5	Flash Point	Less than or equal to 10°C
6	Packing	1) The thinner shall be packed in metal containers (Tin) of net capacity 3.64 to 4 liters. 2) The lid of the containers shall be closed tightly & sealed to prevent any leakage during transit and storage.
7	Marking	Each tin should be marked with the following information: 1) Manufacturer's name /Trademark 2) Description of the material 3) Net quantity of Thinner packed 4) Date of Manufacture 5) Batch No.,
8	Certificates	The manufacturer should be ISO-9001 & ISO-14001 Certified.
9	MSDS	Material Data Sheet should be provided along with supply Thinner.
10	Sample	Sample of NC based Thinner should be submitted along with bid.
11	Miscibility & Applicability	1) Offered NC based Thinner should be completely miscible with NC based Paint. 2) NC based thinner should be applicable for Spray Paint.
12	Delivery Period	Delivery of Material is required within 15-30 days of placement of purchase order.

Technical Bid Evaluation Criteria:

Offers of the bidders will be evaluated strictly in accordance with the above stated technical specifications.

TECHNICAL SPECIFICATIONS FOR NC BASED PAINT

The desired paint (NC based / Deco Paint / Auto Paint) should be of good qualities of gloss, adhesion, color retention and environment resistance. The generic specifications are as under:

Sr. No.	Specification	Description
1	Color	Azure Blue, Color Code: RAL-5009
2	Type of Product	Single Pack, Air Drying
3	Specific Gravity	0.96 ~1.19
4	Drying Time	4-5 minutes or less at 25°C
5	Flash Point	Greater than 27° C
6	Packing	<ol style="list-style-type: none"> 1) The paint shall be packed in metal containers (Tin) of net capacity 3.64 to 4 liters. 2) The lid of the containers shall be closed tightly & sealed to prevent any leakage during transit and storage.
7	Marking	<p>Each tin should be marked with the following information:</p> <ol style="list-style-type: none"> 1) Manufacturer's name /Trademark 2) Description of the material 3) Net quantity of paint packed 4) Date of Manufacture 5) Batch No.
8	Certificates	<ol style="list-style-type: none"> 1) Each batch is accompanied by a batch test certificate to confirm the color code(s) as described in Sr. No. 1 and other critical parameters. 2) The manufacturer should be ISO-9001 & ISO-14001 Certified.
9	MSDS	Material Data Sheet should be provided along with supply Paint.
10	Sample	Sample of NC based Paint should be submitted along with bid.
11	Miscibility & Applicability	<ol style="list-style-type: none"> 1) Offered NC based Paint should be completely miscible with NC based solvent/Thinner. 2) NC based Paint should be applicable for and Spray Paint. 3) There should be no signs of chemical reaction in the form of accumulations or lumps. 4) Offered NC Based Paint, should not require any stirring before its use i.e. it should be a homogenous mixture.
12	Delivery Period	Delivery of Material is required within 15-30 days of placement of purchase order.

Technical Bid Evaluation Criteria:

Offers of the bidders will be evaluated strictly in accordance with the above stated technical specifications.

+

SYNTHETIC ENAMEL

Technical Specifications

Type Of Product	Single Pack – Air Drying
Priming Coat	2-Pack Wash Primer/Red Oxide Primer/Grey Primer
Specific Gravity	0.86~0.95
Grind	7+
Pack Viscosity	155~180 Seconds @ F4 @ 30 °C
Gloss	>87%@60° SHEEN Head
Color	Assorted Shades Available
Flash Point	>21 °C
Application Method	Brush
Application Viscosity	24 ~ 26 Sec @ F-4 @ 25 °C
Solvent / Cleaner	Berger Thinner T-66
Covering Capacity	09 ~ 10 m ² / Liter / Coat @ μ25 m DFT
Dry Film Thickness	45 ~ 60 μm (Attain in Two-Coats)
Drying Time	Surface Dry: 04 Hours or earlier(Depends on Environment Temperature)
	Hard Dry: 24 Hours or earlier (Depends on Environment Temperature)
Finish	Full Gloss
Purpose	Exterior painting of buildings/other civil structures.
Packing	i) 3.64 Ltrs./Tin ii) The lid of the container shall be closely tightly & sealed to prevent any leakage during transit and storage.
Type	Synthetic Enamel
Certificates	The manufacturer and (if supplier) should be ISO or equivalent certified.
Marking	Each tin should be marked with the following information: i) Manufacturer's name / Trademark ii) Description of the material iii) Net quantity of paint packed iv) Date of Manufacture